

Locker Cabinet

Modern ventilation concepts and a variety of locking systems define the locker cabinets offered by Godrej & Khimji.

These locker cabinets provide a functional solution for securing personal storage in offices, factories, schools, universities, health facilities, fitness clubs and other commercial properties.

The product range incorporates the combination of modules with a choice of single, two, three, four, five six door compartments.


The locker cabinet has been tested for strength, durability, stability and function to meet Australian / New Zealand Standards AS/NZS 4790 and British Standards BS 4680.



Certified in 2008
in UK



Certified in 2008
in AUSTRALIA






Locker Cabinet

MODEL	COMPARTMENTS	FIXED SHELVES	EXTRA SHELF (ES)	VERSION	HANGING ROD (HR)	H (in)	W (in)	D (in)
LC 1 V1	1	1		Version 1 (V1)	Hanging Rod (HR)	72.0	15.0	18.0
LC 1 V2	1	1		Version 2 (V2)	Hanging Rod (HR)	72.0	12.0	12.0
LC 1 V3	1	1		Version 3 (V3)	Hanging Rod (HR)	72.0	12.0	18.0
LC 1 V4	1	1		Version 4 (V4)	Hanging Rod (HR)	72.0	18.0	18.0
LC 1 V5	1	1		Version 5 (V5)	Hanging Rod (HR)	72.0	18.0	23.6
LC 1 V6	1	1		Version 6 (V6)	Hanging Rod (HR)	72.0	19.7	19.7
LC 1 V7	1	1		Version 7 (V7)	Hanging Rod (HR)	70.9	19.7	23.6
LC 1 V8	1	1		Version 8 (V8)	Hanging Rod (HR)	72.0	15.0	19.7
LC 1 V9	1	1		Version 9 (V9)	Hanging Rod (HR)	72.0	12.0	19.7
LC 1 V10	1	1		Version 10 (V10)	Hanging Rod (HR)	72.0	15.7	19.7
LC 1 V11	1	1		Version 11 (V11)	Hanging Rod (HR)	72.0	29.9	18.0
LC 1 V12	1	1		Version 12 (V12)	Hanging Rod (HR)	70.9	11.8	19.7
LC 1 V13	1	1		Version 13 (V13)	Hanging Rod (HR)	70.9	15.7	19.7
LC 1 V14	1	1		Version 14 (V14)	Hanging Rod (HR)	70.9	17.7	19.7
LC 1 V15	1	1		Version 15 (V15)	Hanging Rod (HR)	74.8	18.0	18.0
LC 1 ES V1	1	2	Extra Shelf (ES)	Version 1 (V1)	Hanging Rod (HR)	72.0	15.0	18.0
LC 1 ES V2	1	2	Extra Shelf (ES)	Version 2 (V2)	Hanging Rod (HR)	72.0	12.0	12.0
LC 1 ES V3	1	2	Extra Shelf (ES)	Version 3 (V3)	Hanging Rod (HR)	72.0	12.0	18.0
LC 1 ES V4	1	2	Extra Shelf (ES)	Version 4 (V4)	Hanging Rod (HR)	72.0	18.0	18.0
LC 1 ES V5	1	2	Extra Shelf (ES)	Version 5 (V5)	Hanging Rod (HR)	78.7	15.0	18.0
LC 1 ES V6	1	2	Extra Shelf (ES)	Version 6 (V6)	Hanging Rod (HR)	78.7	23.6	23.6
LC 1 ES V7	1	2	Extra Shelf (ES)	Version 7 (V7)	Hanging Rod (HR)	34.4	15.7	15.7


Locker Cabinet



LC 1



LC 1



LC 1 ES



LC 2



LC 2 ES

Locker Cabinet

MODEL	COMPARTMENTS	FIXED SHELVES	EXTRA SHELF (ES)	VERSION	HANGING ROD (HR)	H (in)	W (in)	D (in)
LC 2 V1	2			Version 1 (V1)	Hanging Rod (HR)	72.0	15.0	18.0
LC 2 V2	2			Version 2 (V2)	Hanging Rod (HR)	72.0	12.0	12.0
LC 2 V3	2			Version 3 (V3)	Hanging Rod (HR)	72.0	12.0	18.0
LC 2 V4	2			Version 4 (V4)	Hanging Rod (HR)	72.0	18.0	18.0
LC 2 V5	2			Version 5 (V5)	Hanging Rod (HR)	72.0	19.7	35.4
LC 2 V6	2			Version 6 (V6)	Hanging Rod (HR)	36.0	12.0	15.0
LC 2 V7	2			Version 7 (V7)	Hanging Rod (HR)	47.2	13.4	18.0
LC 2 V9	2			Version 8 (V8)	Hanging Rod (HR)	72.0	15.0	19.7
LC 2 V9	2			Version 9 (V9)	Hanging Rod (HR)	70.9	15.7	17.7
LC 2 ES V1	2	2	Extra Shelf (ES)	Version 1 (V1)	Hanging Rod (HR)	72.0	15.0	18.0
LC 2 ES V2	2	2	Extra Shelf (ES)	Version 2 (V2)	Hanging Rod (HR)	59.1	15.0	18.0
LC 2 ES V3	2	2	Extra Shelf (ES)	Version 3 (V3)	Hanging Rod (HR)	72.0	12.0	18.0
LC 2 ES V4	2	2	Extra Shelf (ES)	Version 4 (V4)	Hanging Rod (HR)	72.0	18.0	18.0
LC 2 ES V5	2	2	Extra Shelf (ES)	Version 5 (V5)	Hanging Rod (HR)	78.7	23.6	23.6

Locker Cabinet



Z LC 2



LC 3



LC 4



LC 5



LC 6

Locker Cabinet

MODEL	COMPARTMENTS	VERSION	H (in)	W (in)	D (in)
Z LC 2	2	Version 1 (V1)	72.0	15.0	18.0
Z LC 2	2	Version 2 (V2)	72.0	15.0	19.7
LC 3 V1	3	Version 1 (V1)	72.0	15.0	18.0
LC 3 V2	3	Version 2 (V2)	72.0	12.0	12.0
LC 3 V3	3	Version 3 (V3)	72.0	12.0	18.0
LC 3 V4	3	Version 4 (V4)	72.0	18.0	18.0
LC 3 V5	3	Version 5 (V5)	78.7	19.7	23.6
LC 3 V6	3	Version 6 (V6)	47.2	16.0	18.1
LC 3 V7	3	Version 7 (V7)	55.0	15.0	18.0
LC 3 V8	3	Version 8 (V8)	72.0	12.0	19.7
LC 3 V9	3	Version 9 (V9)	82.3	19.7	23.6
LC 4 V1	4	Version 1 (V1)	72.0	15.0	18.0
LC 4 V2	4	Version 2 (V2)	72.0	12.0	12.0
LC 4 V3	4	Version 3 (V3)	72.0	12.0	18.0
LC 4 V4	4	Version 4 (V4)	72.0	18.0	18.0
LC 4 V5	4	Version 5 (V5)	49.4	15.0	18.0
LC 4 V6	4	Version 6 (V6)	70.9	11.8	19.7
LC 4 V7	4	Version 7 (V7)	70.9	15.7	19.7
LC 4 V8	4	Version 8 (V8)	70.9	17.7	19.7

Locker Cabinet



LC 1 FS 2 HP 3 HHR



LC 1 ES x 2 MRF WM 2 SPL



LC 1 ES 4




LC 1X3 - JOINED TOGETHER WITH RIVETS

Locker Cabinet

MODEL	COMPARTMENTS	VERSION	H (in)	W (in)	D (in)
LC 5 V1	5	Version 1 (V1)	72.0	15.0	18.0
LC 5 V2	5	Version 2 (V2)	72.0	12.0	12.0
LC 5 V3	5	Version 3 (V3)	72.0	12.0	18.0
LC 5 V4	5	Version 4 (V4)	72.0	18.0	18.0
LC 5 V5	5	Version 5 (V5)	72.0	12.0	19.7
LC 6 V1	6	Version 1 (V1)	72.0	15.0	18.0
LC 6 V2	6	Version 2 (V2)	72.0	12.0	12.0
LC 6 V3	6	Version 3 (V3)	72.0	12.0	18.0
LC 6 V4	6	Version 4 (V4)	72.0	18.0	18.0


Locker Cabinet



LC 2
(WITH DIGITAL LOCK)



LC 4
(WITH DIGITAL LOCK)



CT LC 2 SL X2



CT LC 2X2
(WITH NUMERIC LOCK)

Locker Cabinet

MODEL	COMPARTMENTS	FIXED/ ADJUSTABLE SHELVES	HANGING ROD (HR)	SHELF POSITION	INSIDE PARTITION	MIRROR OPTIONS	H (in)	W (in)	D (in)
LC 1 SPT PD	1	1 Fixed	Rod (HR)				72.0	15.0	18.0
LC 1 FS 2 HP3 HR	1	2 Fixed/3 Half Adjustable	Hanging Rod (HR)	Fixed Shelf At Top & Bottom	Half (HP)		72.0	18.0	18.0
LC 1 FS 1 HP3 HR 1	1	1 Fixed/3 Half Adjustable	Hanging Rod (HR)	Fixed Shelf At Top (FS)	Half (HP)		70.9	17.7	19.7
LC 1 FS 1 HP3 HR 2	1	1 Fixed	2 Hanging Rod (HR)	Fixed Shelf At Top (FS)	Half (HP)		70.9	15.7	19.7
LC 1 FS 1 HP3 HR	1	1 Fixed/3 Half Adjustable	Hanging Rod (HR)	Fixed Shelf At Top (FS)	Half (HP)		72.0	23.6	18.0
LC 1 F8 SPL	1	8 Fixed			Half (HP)		72.0	18.0	18.0
LC 4 ES 4	4	4 Adjustable					78.7	19.7	19.7
LC 1 ES 4	1	4 Adjustable					72.0	19.7	19.7
LC 1 ES X 2 MRF WM 2 SPL	1	4 Fixed	2 Hanging Rod (HR)			Mirror Frame (MRF) With Mirror (WM)	82.6	18.0 + 18.0	18.9

Locker Cabinet



LC 4 / LC 4 SPL (WITH CAM / LATCH LOCK)



LC 1 FS1 HP3 HHR 1 (WITH CAM / LATCH LOCK)

Locker Cabinet Cluster Formation

MODEL	COMPARTMENTS	UNITS	H (in)	W (in)	D (in)
CT LC1X2	1	2	72.0	24.0	18.0
CT LC1X2	1	2	72.0	24.0	19.7
CT LC2X2	2	2	72.0	24.0	18.0
CT LC2X2SPL	2	2	72.0	24.0	19.7
LC1X2	1	3	72.0	30.0	18.0
LC 2 X 2	2	3	72.0	30.0	18.0
LC 4 X 2	4	3	72.0	24.0	18.0
LC 6 X 2	6	3	72.0	24.0	18.0

Locker Cabinet



LC 1 FS 1 HP HHR 2 (WITH CAM / LATCH LOCK)



LC 1 / LC 1 SPL (WITH CAM / LATCH LOCK)

KEY FEATURES



- Limited lifetime warranty, per conditions
- Standard locker cabinets are also available in widths of 12.0" and 18.0" and depths of 12.0" and 18.0"
- Door is provided with ventilation louvers / cluster holes, a label holder and a cam lock
- Doors are fitted with heavy-duty invisible hinges for security and prevention of tampering from the outside. Internal hinges also enhance the appearance of the locker cabinet
- Doors are reinforced internally for extra strength
- Doors are fitted with PVC bangers for quiet operation
- Sloping top can be provided for standard dimensions of the locker cabinet 15.0" w x 18.0" d
- Formed steel legs with height of 3.9" can also be provided
- Locker cabinets can function independently as stand alone units or in a multi-unit configuration
- Core-removable locks can be provided on request
- Master keys can be supplied for all locks
- Locks have 3,000 combinations (utilizing two keyways in each series)
- Alternate gauges of steel are available

GANGING

- (a) All locker cabinets of various depths must be ganged to another locker cabinet or an adjacent cabinet or anchored to a fixed wall for compliance with applicable ANSI / BIFMA X 5.6 Storage Standards.
- (b) At the time of ordering, specify
 - (i) NG – No ganging and no surcharge
 - (ii) WG – With ganging - Cabinets drilled on both sides and with ganging hardware. Add a surcharge of \$5 for each cabinet.
- (c) Locker cabinets, specified for ganging, will be pre-punched or drilled through on both sides of the cabinets and will be provided with ganging hardware for one side. For end units, wherever required, 'no ganging' must be specified to avoid pre punching or drilling of holes on the extreme end sides.

LOCK OPTIONS



Cam Lock



Latch Lock



Recessed Handle with Cam Lock (A)




Recessed Handle with Cam Lock (B)



Numeric Lock

OPTIONAL ACCESSORIES



PVC Label Holder



Formed Label Holder



Perforated Door



Adjustable Leveler



Hanger Rod



Sloping Top



Mirror



Rivet



Formed Steel Legs
3.9" height
5.9" height



Screw and Nut



Hole Plug



Coat Hook